


# P2PSIP BOF

## IETF 65

Chairs: David Bryan, Eunsoo Shim, Dean Willis



**I E T F**

# Note Well

**Any submission to the IETF intended by the Contributor for publication as all or part of an IETF Internet-Draft or RFC and any statement made within the context of an IETF activity is considered an "IETF Contribution". Such statements include oral statements in IETF sessions, as well as written and electronic communications made at any time or place, which are addressed to:**

- **the IETF plenary session,**
- **any IETF working group or portion thereof,**
- **the IESG, or any member thereof on behalf of the IESG,**
- **the IAB or any member thereof on behalf of the IAB,**
- **any IETF mailing list, including the IETF list itself, any working group or design team list, or any other list functioning under IETF auspices,**
- **the RFC Editor or the Internet-Drafts function**

**All IETF Contributions are subject to the rules of [RFC 3978](#) and [RFC 3979](#).**

**Statements made outside of an IETF session, mailing list or other function, that are clearly not intended to be input to an IETF activity, group or function, are not IETF Contributions in the context of this notice.**

**Please consult [RFC 3978](#) for details.**

# Announcements

- Technical Ad-Hoc Friday 12:00 -- 14:00  
Cortez

# Agenda

- Agenda Bash (5 min)
- Introduction (David Bryan, 10 min)
- Use Cases (Bruce Lowekamp, 15 min)
- Requirements (Henning Schulzrinne, 25 min)
- Discussion of the Charter and Direction of WG (Dean Willis, as long as we have left)

P2PSIP BOF – What are we  
doing here?

# What are we doing in the BOF?

- Essentially, here to discuss the charter
- We are not getting into the “how” at this meeting – instead we are talking about the “what”
  - Friday, 12-2 in Cortez
- Two major presentations – Use Cases and Requirements
  - Only as a “Birds Eye” to help with the big picture

# What are we looking at?

- How to decentralize resource location information
- How to manage resource location information in a distributed way
- For SIP (multimedia session initiation) only

# Constraints and choices

- Since we are about working with SIP – need to make things interact with SIP
- Reuse existing IETF Protocols for functions unless proven unworkable
- Need to keep our scope narrow
  - Currently we proposed resource location and NAT traversal needed for that
  - Open for debate, but if we add things, we likely need to remove something else